


CATÁLOGO IMR DO BRASIL

REGULADOR DE PRESSÃO






 **iMR**



Características Técnicas

Modelo (mm)	R20-02	R30-03	R40-04	R40-06	R50-01
Fluxo	550	2500	6000	6000	8000
Conexão de Entrada	G1/4"	G3/8"	G1/2"	G3/4"	G1"
Pressão Máx.	1.0MPa				
Pressão de Teste	1.5MPa				
Temperatura de Trabalho	5~60°C				
Regulagem	0.05~0.85MPa				

DIMENSÕES



Modelo	Conexão	A	B	C	D	E	F	G	H	J	K	L	M	N
R20	G1/4"	40	95	17	40	56.8	30	34	44	5.4	15.4	55	2.3	33.5
R30	G3/8"	53	127.5	35	53	60.8	39	40	46	6.5	8	53	2.3	42.5
R40	1/2"	70	149.5	37.5	70	65.5	49.5	54	54	8.5	10.5	70	2.3	52.5
R4006	G3/4"	75	154	40.5	70	69.5	49.5	54	55.5	8.5	10.5	70	2.3	52.5
R50	G1"	90	168	48	90	75.5	49.5	54	62	8.5	10.5	70	2.3	52.5

☎ 19 99539-9959

Avenida Cecilia Meirelles, 777
Anexo Com. 02, Térreo
Jd. N. Senhora Aparecida
Americana - SP

www.imrdobrasil.com

